



ANNEX

References of included RCTs

1) Insomnia

Outcome	N RCT	Based on studies
Insomnia	4	Carlini et al. 1987 (1)
		Cialdella et al. 2001 (2)
		Wolf 1992 (3)
		Kolia-Adam et al. 2008 (4)
	1	Naudé 2010 (5)

2) LOW BACK PAIN

Outcome	N RCT	Based on studies
Low back pain	1	Stam et al 2001 (6)

3) Induction of labour

Outcome	N RCT	Based on studies
Induction of labour	2	Beer 1999 (7) Dorfman 1987 (8)

4) Chronic fatigue syndrome

Outcome	N RCT	Based on studies
Chronic fatigue	2	Awdry 1996 (9) Weatherley-Jones 2004 (10)

5) Chronic asthma

Outcome	N RCT	Based on studies
Asthma	1	White et al.(2003) (11)
Allergic asthma	5	Matusiewicz 1995 (12)
		Matusiewicz et al. (1999) (13)
		Lewith et al 2002 (14)
		Reilly 1994 (15)
		Freitas 1995 (16)

6) Enuresis

Outcome	N RCT	Based on studies
Enuresis	0	

7) Depression

Outcome	N RCT	Based on studies
depression	1	Heulluy 1985 (17)
	1	Katz et al. 2005 (18)



8) Anxiety

Outcome	N RCT	Based on studies
Anxiety in children	1	Alibeu and Jobert 1990 (19)
Anxiety in adults	7	Baker 2003 (20)
		Bonne 2003 (21)
		Heulluy 1985 (17)
		McCutcheon 1996 (22)
		Stanton 1981 (23)
		Thompson 2005 (24)
		Hariveau 1995 (25)

9) Cancer related symptoms

Outcome	N RCT	Based on studies
adverse effects of radiotherapy/ radiodermatitis	1	Kulkarni 1988 (26)
	1	Balzarini 2000 (27)
	1	Pommier 2004 (28)
adverse effects of chemotherapy/ protect venous function	1	Bourgois 1984 (29)
adverse effects of chemotherapy/ stomatitis	1	Oberbaum 2001 (30)
adverse effects of chemotherapy/ antiemesis	1	Daub 2005 (31)
menopausal symptoms	1	Jacobs 2005 (32)
	1	Thompson 2005 (24)

10) Childhood ailments

Outcome	N RCT	Based on studies
Adenoid vegetation	2	Feuchter et al. 2001 (33)
		Furuta et al. 2003 (34)
ADHD	3	Strauss et al. 2000 (35)
		Jacobs et al. 2005 (36)
		Frei et al. 2005 (37)
	1	Lamont et al. 1997 (38)
asthma	2	Freitas et al. 1995 (16)
		White et al. 2003 (11)
otitis		Jacobs 2001 (39)
conjunctivitis	1	Mokkapatti. 1992 (40)
diarrhoea	3	Jacobs. et al. 1993 (41)
		Jacobs 1994 (42)
		Jacobs 2000 (43)
Post-operative agitation	1	Alibeu 1990 (19)
URTI (Upper Respiratory Tract Infection)	2	De Lange et al. 1994 (44)
		Steinsbekk et al. 2005 (45)
Warts	1	Kainz et al. 1996 (46)

11) Fibromyalgia

Outcome	N RCT	Based on studies
Fibromyalgia	1	Fischer et al. 1989 (47)
	1	Fischer et al. 1986 (48)
	1	Bell et al. 2004 (49, 50)
	1	Relton et al. 2009 (51)



12) HIV

Outcome	N RCT	Based on studies
CD4 Body fat symptom distress	1	Struwe et al. 1993 (52)
	1	Rastogi et al., 1999 (53)
CD4 counts QoL	1	Brewitt et al., 2002 (54)

13) Chronic venous insufficiency

Outcome	N RCT	Based on studies
venous filling time, leg volume and subjective symptoms	1	Ernst et al. 1990 (55)

14) Premenstrual syndrome

Outcome	N RCT	Based on studies
Premenstrual syndrome	1	Chapman 1994 (56)
	1	Yakir et al. 2001 (57)

15) Allergic rhinitis

Outcome	N RCT	Based on studies
Allergic rhinitis	1	Aabel et al 2000 (58)
	1	Aabel et al 2000 (59)
	1	Aabel (2001) (60)
	1	Hardy (1984) (61)
	1	Lewith et al 2002 (14)
	1	Reilly et al 1986 (62)
	1	Taylor et al 2000 (63)
	1	Weiser et al 1999 (64)
	1	White et al 2003 (11)
	1	Kim et al 2005 (65)
	3	Wiesenauer and Gaus 1985 (66)
		Wiesenauer and Ludtke (1987) (67)
		Wiesenauer and Ludtke (1995) (68)

16) Upper respiratory tract infections (URTI)

Outcome	N RCT	Based on studies
Acute rhinitis	2	Gassinger et al. (1981) (69)
		Maiwald et al. (1988) (70)
Cough	1	Bordes and Dorfman (1986) (71)
Sinusitis	1	Wiesenauer et al. (1989) (72)
Chronic sinusitis	1	Weiser and Clasen (1994) (73)
Common cold and flu	1	Heilmann (1994) (74)
		Ferley 1989 (75)
		Papp 1998 (76)
Pharyngitis, tonsillitis	1	De Lange de Klerk (1999)* (77)
Acute otitis	1	Jacobs (2001)* (39)



media	1	Harrison 1999 (78)
Chemotherapy-associated stomatitis	1	Oberbaum et al. (2001)* (30)
Upper respiratory tract infections	3	Lecoq (1985) (79)
		Steinsbekk et al. (2005)* (80)
		Steinsbekk et al. (2005)* (45)
adenoid vegetations	1	Friese 2001 (81)

*children

17) Allergic conditions

Outcome	N RCT	Based on studies
Allergic asthma	4	Campbell et al. (1990) (82) Reilly et al. (1994) (15) Matusiewicz 1995, 1996, 1997 (12) (83) (84) Lara-Marquez et al. (1997) (85) Riveron-Garrote et al. (1998) (86)

18) Vertigo

Outcome	N RCT	Based on studies
vertigo	2	Weiser 1998 (87) Issing 2004 (88)

19) Osteoarthritis

Outcome	N RCT	Based on studies
Knee pain	3	Shipley 1983 (89)
Hip or knee pain		Shealy 1998 (90)
Osteoarthritis		Van Haselen 2000 (91)

20) Influenza like syndrome

Outcome	N RCT	Based on studies
Treatment of influenza like syndrome	4	Ferley 1989 (75) Papp 1998 (76) Casanova 1992 (93)(unpublished) Nollevaux 1990 (94) (unpublished)
Prevention of influenza like syndrome	3	Casanova 1984 (95) Rottey 1995 (96) Attena 1995 (97)



21) Prevention of migraine and headache

Outcome	N RCT	Based on studies
migraine	3	Brigo (1991) (98) Straumsheim (1997) (99) Whitmarsh (1997) (100)
Chronic Headache	1	Walach (1997) (101)

22) Post-operative ileus

Outcome	N RCT	Based on studies
Post-operative ileus	6	Castelin 1997 (102) Valero 1981 (103) Chevrel 1984 (104) Aulagnier 1985 (105) Grecho 1989 (106) Dorfman 1992 (107)

REFERENCES

1. Carlini EA, Braz S, Troncone LR, Tufik S, Romanach AK, Pustiglione M, et al. [Hypnotic effect of homeopathic medication and placebo. Evaluation by double-blind and crossing techniques]. AMB Rev Assoc Med Bras. 1987 May-Jun;33(5-6):83-8.
2. Cialdella P, Boissel JP, Belon P. [Homeopathic specialties as substitutes for benzodiazepines: double-blind vs. placebo study]. Therapie. 2001 Jul-Aug;56(4):397-402.
3. Wolf J. Schlafstorungen ohne Hang-over behandeln. Natura Med. 1992;7(9):586-9.
4. Kolia-Adam N, Solomon E, Bond J, Deroukakis M. Double-blind placebo controlled study with coffea for insomnia. Simillimum. 2008;21 [Winter/Spring].
5. Naude DF, Stephanie Couchman IM, Maharaj A. Chronic primary insomnia: efficacy of homeopathic simillimum. Homeopathy. 2010 Jan;99(1):63-8.
6. Stam C, Bonnet MS, van Haselen RA. The efficacy and safety of a homeopathic gel in the treatment of acute low back pain: a multi-centre, randomised, double-blind comparative clinical trial. Br Homeopath J. 2001 Jan;90(1):21-8.
7. Beer A, Heiliger F. Randomized, double blind trial of Caulophyllum D4 for induction of labour after premature rupture of membranes at term. Gerburthshilfe und Frauenheilkunde. 1999;59:431-5.
8. Dorfman P, Lasserre M, Tetau M. Homoeopathic preparation for labour: two fold experiment comparing a less widely known therapy with a placebo. . Cahiers de Biotherapie 1987;94:77-81.
9. Awdry R. Homeopathy may help ME. Int J Alternat Complement Med 1996;14:12-6.
10. Weatherley-Jones E, Nicholl JP, Thomas KJ, Parry GJ, McKendrick MW, Green ST, et al. A randomised, controlled, triple-blind trial of the efficacy of homeopathic treatment for chronic fatigue syndrome. J Psychosom Res. 2004 Feb;56(2):189-97.
11. White A, Slade P, Hunt C, Hart A, Ernst E. Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial. Thorax. 2003 Apr;58(4):317-21.
12. Matusiewicz R. Effectiveness of Engystol N in corticosteroid- dependent bronchial asthma [Wirksamkeit von Engystol N bei Bronchialasthma unter kortikoidabhängiger Therapie]. Biologische Medizin 1995;24:242-6.
13. Matusiewicz R, Wasniewski J, Sterna-Bazanska A, Hulsberg M. Treatment of asthma with a complex homeopathic remedy [Behandlung des chronischen asthma bronchiale mit einem homoopathischen komplexmittel]. EHK. 1999;6:367-74.
14. Lewith GT, Watkins AD, Hyland ME, Shaw S, Broomfield JA, Dolan G, et al. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite: double blind randomised controlled clinical trial. BMJ. 2002 Mar 2;324(7336):520.



15. Reilly D, Taylor MA, Beattie NG, Campbell JH, McSharry C, Aitchison TC, et al. Is evidence for homoeopathy reproducible? *Lancet*. 1994 Dec 10;344(8937):1601-6.
16. Freitas L, Goldenstein E, OM S. The indirect doctor-patient relationship and the homeopathic treatment of asthma in children. *Revista de Homeopatia*. 1995;60:26-31.
17. Heulluy B. Random trial of L.72 with Diazepam 2 in cases of nervous depression. *Essai randomisé ouvert de L 72 (spécialité homéopathique) contre diazepam 2 dans les états anxiode - pressifs*. Metz: Laboratoires Lehning, Unpublished study. 1985.
18. Katz T, Fisher P, Katz A, Davidson J, Feder G. The feasibility of a randomised, placebo-controlled clinical trial of homeopathic treatment of depression in general practice. *Homeopathy*. 2005 Jul;94(3):145-52.
19. Alibeu JP, Jobert J. [Aconite in homeopathic relief of post-operative pain and agitation in children]. *Pediatrie*. 1990;45(7-8):465-6.
20. Baker DG, Myers SP, Howden I, Brooks L. The effects of homeopathic Argentum nitricum on test anxiety. *Complement Ther Med*. 2003 Jun;11(2):65-71.
21. Bonne O, Shemer Y, Gorali Y, Katz M, Shalev AY. A randomized, double-blind, placebo-controlled study of classical homeopathy in generalized anxiety disorder. *J Clin Psychiatry*. 2003 Mar;64(3):282-7.
22. McCutcheon L. Treatment of anxiety with a homeopathic remedy. *J Appl Nutr*. 1996;48:2-6.
23. Stanton H. Test anxiety—a five drop solution. *Educ News*. 1981;17:12-5.
24. Thompson EA, Montgomery A, Douglas D, Reilly D. A pilot, randomized, double-blinded, placebo-controlled trial of individualized homeopathy for symptoms of estrogen withdrawal in breast-cancer survivors. *J Altern Complement Med*. 2005 Feb;11(1):13-20.
25. Hariveau E, Albertini C, M. R. Comparaison de Lithium Microsol à lorazepam dans les manifestations anxiodepressives réactionnelles de l'adulte [Comparison of Lithium Microsol with lorazepam in reactive anxiodepressive manifestation in adults]. *Homeopathie Francaise*. 1991;79:59-62.
26. Kulkarni A, Nagarkar B, Burde G. Radiation protection by use of homoeopathic medicines. *Hahnemann Homoeopath Sand* 1998;12:20-3.
27. Balzarini A, Felisi E, Martini A, De Conno F. Efficacy of homeopathic treatment of skin reactions during radiotherapy for breast cancer: a randomised, double-blind clinical trial. *Br Homeopath J*. 2000 Jan;89(1):8-12.
28. Pommier P, Gomez F, Sunyach MP, D'Hombres A, Carrie C, Montbarbon X. Phase III randomized trial of Calendula officinalis compared with trolamine for the prevention of acute dermatitis during irradiation for breast cancer. *J Clin Oncol*. 2004 Apr 15;22(8):1447-53.
29. Bourgois J. Protection of the venous capital at the perfusees with a long course in breast cancer. Double blind Clinical trial: Arnica with a placebo control [Protection du capital veineux chez les perfusees au long cours dans cancer du sein. Essai clinique en double aveugle: Arnica contre placebo]. Thesis. 1984;1989.
30. Oberbaum M, Yaniv I, Ben-Gal Y, Stein J, Ben-Zvi N, Freedman LS, et al. A randomized, controlled clinical trial of the homeopathic medication TRAUMEEL S in the treatment of chemotherapy-induced stomatitis in children undergoing stem cell transplantation. *Cancer*. 2001 Aug 1;92(3):684-90.
31. Daub E, Gerhard I, Bastert G. Homeopathic antiemesis for chemotherapy, a prospective randomised trial [Homoopathische Antiemetika bei Chemotherapie, eine prospektiv, randomisierte Studie]. *Geburtshilfe und Frauenheilkunde* 2005;60(S157).
32. Jacobs J, Herman P, Heron K, Olsen S, Vaughters L. Homeopathy for menopausal symptoms in breast cancer survivors: a preliminary randomized controlled trial. *J Altern Complement Med*. 2005 Feb;11(1):21-7.
33. Feuchter U, Friese K, Lüdtke R, Moeller H. Results of a randomised prospective double-blind trial on the homeopathic treatment of adenoid vegetations. *Eur J Gen Pract*. 2001;7:48-54.
34. Furuta S, Weckx L, Figueiredo C. Prospective, randomized, double-blind clinical trial about efficacy of homeopathic treatment in children with obstructive adenoid. *Rev Bras Otorrinolaringol* 2003;69:343-7.
35. Strauss L. The efficacy of a homeopathic preparation in the management of attention deficit hyperactivity disorder. *Biomed Ther*. 2000;18:197-201.
36. Jacobs J, Williams AL, Girard C, Njike VY, Katz D. Homeopathy for attention-deficit/hyperactivity disorder: a pilot randomized-controlled trial. *J Altern Complement Med*. 2005 Oct;11(5):799-806.
37. Frei H, Everts R, von Ammon K, Kaufmann F, Walther D, Hsu-Schmitz SF, et al. Homeopathic treatment of children with attention deficit hyperactivity disorder: a randomised, double blind, placebo controlled crossover trial. *Eur J Pediatr*. 2005 Dec;164(12):758-67.
38. Lamont J. Homeopathic treatment of attention deficit hyperactivity disorder: a controlled trial. *British Homeopathic Journal*. 1997;86:196-200.



39. Jacobs J, Springer DA, Crothers D. Homeopathic treatment of acute otitis media in children: a preliminary randomized placebo-controlled trial. *Pediatr Infect Dis J*. 2001 Feb;20(2):177-83.
40. Mokkapatti R. An experimental double-blind study to evaluate the use of Euphrasia in preventing conjunctivitis. *Br Homeopath J* 1992;81:22-4.
41. Jacobs J, Jimenez L, Gloyd S, Casares F, Gaitan M, Crothers D. Homoeopathic treatment of acute childhood diarrhoea: a randomized clinical trial in Nicaragua. *Br Homeopath J*. 1993;82:83-6.
42. Jacobs J, Jimenez LM, Gloyd SS, Gale JL, Crothers D. Treatment of acute childhood diarrhea with homeopathic medicine: a randomized clinical trial in Nicaragua. *Pediatrics*. 1994 May;93(5):719-25.
43. Jacobs J, Jimenez LM, Malthouse S, Chapman E, Crothers D, Masuk M, et al. Homeopathic treatment of acute childhood diarrhea: results from a clinical trial in Nepal. *J Altern Complement Med*. 2000 Apr;6(2):131-9.
44. de Lange de Klerk ES, Blommers J, Kuik DJ, Bezemer PD, Feenstra L. Effect of homoeopathic medicines on daily burden of symptoms in children with recurrent upper respiratory tract infections. *BMJ*. 1994 Nov 19;309(6965):1329-32.
45. Steinsbekk A, Bentzen N, Fonnebo V, Lewith G. Self treatment with one of three self selected, ultramolecular homeopathic medicines for the prevention of upper respiratory tract infections in children. A double-blind randomized placebo controlled trial. *Br J Clin Pharmacol*. 2005 Apr;59(4):447-55.
46. Kainz JT, Kozel G, Haidvogl M, Smolle J. Homoeopathic versus placebo therapy of children with warts on the hands: a randomized, double-blind clinical trial. *Dermatology*. 1996;193(4):318-20.
47. Fisher P, Greenwood A, Huskisson EC, Turner P, Belon P. Effect of homeopathic treatment on fibrositis (primary fibromyalgia). *BMJ*. 1989 Aug 5;299(6695):365-6.
48. Fisher P. An experimental double-blind clinical trial method in homeopathy. Use of a limited range of remedies to treat fibrositis. *Br Homeopath J*. 1986;75(3):142.
49. Bell IR, Lewis DA, 2nd, Brooks AJ, Schwartz GE, Lewis SE, Walsh BT, et al. Improved clinical status in fibromyalgia patients treated with individualized homeopathic remedies versus placebo. *Rheumatology (Oxford)*. 2004 May;43(5):577-82.
50. Bell IR, Lewis DA, 2nd, Brooks AJ, Schwartz GE, Lewis SE, Caspi O, et al. Individual differences in response to randomly assigned active individualized homeopathic and placebo treatment in fibromyalgia: implications of a double-blinded optional crossover design. *J Altern Complement Med*. 2004 Apr;10(2):269-83.
51. Relton C, Smith C, Raw J, Walters C, Adebajo AO, Thomas KJ, et al. Healthcare provided by a homeopath as an adjunct to usual care for Fibromyalgia (FMS): results of a pilot Randomised Controlled Trial. *Homeopathy*. 2009 Apr;98(2):77-82.
52. Struwe M, Kaempfer SH, Geiger CJ, Pavia AT, Plasse TF, Shepard KV, et al. Effect of dronabinol on nutritional status in HIV infection. *Ann Pharmacother*. 1993 Jul-Aug;27(7-8):827-31.
53. Rastogi DP, Singh VP, Singh V, Dey SK, Rao K. Homeopathy in HIV infection: a trial report of double-blind placebo controlled study. *Br Homeopath J*. 1999 Apr;88(2):49-57.
54. Brewitt B. Bioelectromagnetic medicine and HIV/AIDS treatment: Clinical data and hypotheses for mechanism of action. In: Standish LJ, Calabrese C, Galantino ML, eds. . AIDS and Complementary and Alternative Medi- cine: Current Science and Practice Philadelphia: Churchill Livingstone, . 2002:207-31.
55. Ernst E, Saradeth T, Resch K. Complementary treatment of varicose veins: a randomized, placebo-controlled, double-blind trial. . *Phlebology* 1990;5:157-63.
56. Chapman E, Angelica J, Spitalny G, Strauss M. Results of a study of the homeopathic treatment of PMS. *J Am Inst Homeopat*. 1994;87:14-21.
57. Yakir M, Kreitler S, Brzezinski A, Vithoulkas G, Oberbaum M, Bentwich Z. Effects of homeopathic treatment in women with premenstrual syndrome: a pilot study. *Br Homeopath J*. 2001 Jul;90(3):148-53.
58. Aabel S. No beneficial effect of isopathic prophylactic treatment for birch pollen allergy during a low-pollen season: a double-blind, placebo-controlled clinical trial of homeopathic Betula 30c. *Br Homeopath J*. 2000 Oct;89(4):169-73.
59. Aabel S, Laerum E, Dolvik S, Djupesland P. Is homeopathic 'immunotherapy' effective? A double-blind, placebo-controlled trial with the isopathic remedy Betula 30c for patients with birch pollen allergy. *Br Homeopath J*. 2000 Oct;89(4):161-8.
60. Aabel S. Prophylactic and acute treatment with the homeopathic medicine, Betula 30c for birch pollen allergy: a double-blind, randomized, placebo-controlled study of consistency of VAS responses. *Br Homeopath J*. 2001 Apr;90(2):73-8.



61. Hardy J. A double-blind placebo controlled trial of house dust potencies in the treatment of house dust allergy. *Br Hom Res Group Comm.* 1984;11:75-6.
62. Reilly DT, Taylor MA, McSharry C, Aitchison T. Is homeopathy a placebo response? Controlled trial of homeopathic potency, with pollen in hayfever as model. *Lancet.* 1986 Nov 29;2(8512):881-6.
63. Taylor MA, Reilly D, Llewellyn-Jones RH, McSharry C, Aitchison TC. Randomised controlled trial of homoeopathy versus placebo in perennial allergic rhinitis with overview of four trial series. *BMJ.* 2000 Aug 19-26;321(7259):471-6.
64. Weiser M, Gegenheimer L, Klein P. A randomized equivalence trial comparing the efficacy and safety of Luffa comp.-Heel nasal spray with cromolyn sodium spray in the treatment of seasonal allergic rhinitis. *Forsch Komplementarmed* 1999;6:142-8.
65. Kim LS, Riedlinger JE, Baldwin CM, Hilli L, Khalsa SV, Messer SA, et al. Treatment of seasonal allergic rhinitis using homeopathic preparation of common allergens in the southwest region of the US: a randomized, controlled clinical trial. *Ann Pharmacother.* 2005 Apr;39(4):617-24.
66. Wiesenauer M, Gaus W. Double-blind trial comparing the effectiveness of the homeopathic preparation Galphimia potentiation D6, Galphimia dilution 10(-6) and placebo on pollinosis. *Arzneimittelforschung.* 1985;35(11):1745-7.
67. Wiesenauer M, Lüdtke R. The Treatment of Pollinosis with Galphimia glauca D4—A Randomized Placebo-Controlled Double Blind Clinical Trial. . Edition forschung, vol 3, Stuttgart: Hippocrates Verlag,. 1987:235-43.
68. Wiesenauer M, Lüdtke R. The treatment of pollinosis with Galphimia glauca D4—a randomized placebo-controlled double-blind clinical trial. *Phytomedicine.* 1995;2:3-6.
69. Gassinger C, Wunstel G, Netter P. A controlled clinical trial for testing the efficacy of the homeopathic drug Eupatorium perfoliatum D2 in the treatment of common cold. *Arzneimittelforschung* 1981;31:732-6.
70. Maiwald V, Weinertner T, Mau J, Connert W. Therapy of common cold with a homeopathic combination preparation in comparison with acetylsalicylic acid. A controlled, randomized double-blind study. *Arzneimittelforschung.* 1988;38:578-82.
71. Bordes L, Dorfman P. Evaluation de l'activité antitussive du sirop Drosetux: Etude en double aveugle versus placebo. *Cahiers d'Otorhinolaryngologie* 1986;21:731-4.
72. Wiesenauer M, Gaus W, Bohnacker U, Haussler S. Efficiency of homeopathic preparation combinations in sinusitis. Results of a random- ized double blind study with general practitioners. *Arzneimittelforschung.* 1989;39:620-5.
73. Weiser M, Clasen B. Controlled double-blind study of a homoeopathic sinusitis medication. *Biol Ther.* 1994;13:4-11.
74. Heilmann A. A combination injection preparation as a prophylactic for flu common colds. *Biol Ther.* 1994;13:249-53.
75. Ferley JP, Zmirou D, D'Adhemar D, Balducci F. A controlled evaluation of a homoeopathic preparation in the treatment of influenza-like syndromes. *Br J Clin Pharmacol.* 1989 Mar;27(3):329-35.
76. Papp R, Schuback G, Beck E, Burkard G, Bengel J, Lehrl S, et al. Oscillococcinum in patients with influenza-like syndromes: a placebo-controlled double-blind evaluation. . *British Homeopathic Journal.* 1998;87:69-76.
77. de Lange de Klerk ES. A homeopathic nosode for influenza-like syndromes. *Forsch Komplementarmed.* 1999;6:31-2.
78. Harrison H, Fixsen A, Vickers A. A randomized comparison of homoeopathic and standard care for the treatment of glue ear in children. *Complement Ther Med.* 1999 Sep;7(3):132-5.
79. Lecoq P. Les voies thérapeutiques des syndromes grippaux. *Cah Biothér.* 1985;87:65-73.
80. Steinsbekk A, Fonnebo V, Lewith G, Bentzen N. Homeopathic care for the prevention of upper respiratory tract infections in children: a pragmatic, randomised, controlled trial comparing individualised homeopathic care and waiting-list controls. *Complement Ther Med.* 2005 Dec;13(4):231-8.
81. Friese K, Feuchter U, Lüdtke R, Moeller H. Results of a randomised prospective double-blind clinical trial on the homeopathic treatment of adenoid vegetations. *Eur J Gen Pract.* 2001;7:48-54.
82. Campbell J, Taylor M, Beattie N, McSharry C, Aitchison T, Carter R, et al. Is homeopathy a placebo response? A controlled trial of homeopathic immunotherapy in atopic asthma. *Am Rev Resp Dis.* 1990;141(A):24.
83. Matusiewicz R. Efficacia de Engystol en l'asma bronquial corticopen- diente. *med biol.* 1996;5:176-80.



84. Matusiewicz R. The homeopathic treatment of corticosteroid dependent asthma: a doubleblind, placebo-controlled study. *Biomed Ther.* 1997;4:117-22.
85. Lara-Marquez M, Pocino M, Rodriguez F, Carvallo G, Ortega C, Rodriguez C. Homeopathic treatment for atopic asthma lung function and immunological outcomes in a randomized clinical trial in Venezuela. *Proceedings of the 52nd LMHI Congress Seattle, USA.* 1997;73.
86. Riveron-Garrote M, Fernandez-Arguelles R, Moron-Rodriguez F, Campistrou-Labaut J. *Ensayo clínico controlado aleatorizado del tratamiento homeopático del asma bronquial.* . *Bol Mex Hom* 1998;31:54-61.
87. Weiser M, Strosser W, Klein P. Homeopathic vs conventional treatment of vertigo: a randomized double-blind controlled clinical study. *Arch Otolaryngol Head Neck Surg.* 1998 Aug;124(8):879-85.
88. Issing W, Klein P, Weiser M. The homeopathic preparation Vertigoheel versus Ginkgo biloba in the treatment of vertigo in an elderly population: a double-blinded, randomized, controlled clinical trial. *J Altern Complement Med.* 2005 Feb;11(1):155-60.
89. Shipley M, Berry H, Broster G, Jenkins M, Clover A, Williams I. Controlled trial of homoeopathic treatment of osteoarthritis. *Lancet.* 1983 Jan 15;1(8316):97-8.
90. Shealey C, Thomlinson R, Cox R, Borgmeyer V. Osteoarthritic pain: a comparison of homeopathy and acetaminophen. *American Journal of Pain Management* 1998;8:89-91.
91. van Haselen RA, Fisher PA. A randomized controlled trial comparing topical piroxicam gel with a homeopathic gel in osteoarthritis of the knee. *Rheumatology (Oxford).* 2000 Jul;39(7):714-9.
92. Nahler G, Metelmann H, Sperber H. Treating osteoarthritis of the knee with a homoeopathic preparation. . *Biomed Ther.* 1998;XVI:186-91.
93. Casanova P, Gerard R. Results of three years of randomised, multicentre studies on Oscillococcinum/placebo [Bilan de 3 années d'études randomisées multicentriques Oscillococcinum/placebo]. Unpublished: Oscillococcinum - rassegna della letteratura internazionale. 1992.
94. Nolleaux M. Clinical study of Mucococcinum 200K as a pre-ventative treatment against flu: a double blind trial versus placebo [Klinische studie van Mucococcinum 200K als preventieve behandeling van griepachtige aandoeningen: een dubbelblinde test tegenover placebo]. Unpublished. 1990.
95. Casanova P. Homeopathy, flu syndrome and double blinding [Homeopathie, syndrome grippal et double insu]. . *Tonus.* 1984:25-6.
96. Rottey E, Verleye G, Liagre R. The effects of a homeopathic remedy made of micro-organisms in the prevention of flu. A randomised double-blind trial in GP practices [Het effect van een homeopathische bereiding van micro-organismen bij de preventie van griepsymp- tomen. Een gerandomiseerd dubbel-blind onderzoek in de huisartspraktijk]. *Tijdschrift voor Integrale Geneeskunde.* 1995;11:54-8.
97. Attena F, Toscano G, Agozzino E, Del Giudice N. A randomized trial in the prevention of influenza-like syndromes by homeopathic management. . *Revue d'Epidemiologie et de Sante Publique.* 1995;43:380-2.
98. Brigo B, Serpelloni G. Homeopathic treatment of migraine: A sixty case, double-blind, controlled study (homeopathic remedy vs. placebo). *Berlin J Research Homeo.* 1991;1:98-102.
99. Straumsheim P, Borchgrevink C, Mowinckel P, Kierulf H, Hafslund O. Homeopathic treatment of migraine: a double blind, placebo controlled trial of 68 patients [see comment]. *Br Homeopath J.* 2000 Jan;89(1):4-7.
100. Whitmarsh TE, Coleston-Shields DM, Steiner TJ. Double-blind randomized placebo-controlled study of homoeopathic prophylaxis of migraine. *Cephalgia.* 1997 Aug;17(5):600-4.
101. Walach H, Haeusler W, Lowes T, Mussbach D, Schamell U, Springer W, et al. Classical homeopathic treatment of chronic headaches. *Cephalgia.* 1997 Apr;17(2):119-26; discussion 01.
102. Castelin T. Etude de l'action homéopathique de Raphanus sativus niger 5 CH et d'Opium 15 CH sur la reprise du transit en chirurgie digestive post-opératoire (dissertation). Bordeaux: Université de Bordeaux II. 1979.
103. Valero E. Etude de l'action préventive de: raphanus sativus 7 CH, sur le temps de reprise du transit intestinal post-opératoire (à propos de 80 cas)-Pyrogenium 7 CH sur les infections post-opératoire (à propos de 128 cas) (dissertation). Grenoble: Université Scientifique et Médicale de Grenoble. 1981.
104. Chevrel J, Saglier J, Destable M. Reprise du transit intestinal en chirurgie digestive. Action homéopathique de l'Opium. *Presse Med.* 1984.
105. Aulagnier G. Action d'un traitement homéopathique sur la reprise du transit post-opératoire. *Homéopathie.* 1985;6:42-5.
106. GRECHO, Homéopathie GdRedECe. Evaluation de deux produits homéopathiques sur la reprise du transit après chirurgie digestive. Un essai contrôlé multicentrique. *Presse Med.* 1989;18:59-62.



107. Dorfman P, Amodéo C, Riccioti F, Tetau M, Véroux G. Iléus post-opératoire et homéopathie: bilan d'une évaluation clinique. Cahiers de Biothérapie. 1992;114:33-9.